

**eko
okna**

**EXTERNAL DOOR
CATALOGUE**



CONTENTS

ABOUT COMPANY	05
<hr/>	
EXTERNAL DOORS	06
<hr/>	
DOOR PANELS	08
PANEL FILLINGS	10
DOOR GLAZING	12
PATTERNS OF DOOR PANELS	14
GLASS PANELS	86
CLASSICLINE DOORS	96
ECOGREEN EMBOSSED PANELS	110
PVC MODEL DOORS	134
OVERLAY PANELS PVC	156
STEEL DOORS	196
DOOR THRESHOLDS	200
DOOR ACCESSORIES	202





Our Company

Eko-Okna S.A. is a manufacturer with an international reach, offering windows and doors made of PVC, wood, aluminium and steel. We have been on the market since 1998. Production takes place in halls with state-of-the-art automated production lines, supported by qualified and experienced staff. We focus on development and innovation. We were the first in Europe to introduce to mass sale windows made in the V-Perfect shape welding technology.

Our offer is constantly expanding. Already today we are able to offer you several dozen different window and door systems. We also offer sliding systems, roller shutters, sectional garage and industrial doors, mosquito nets, fences and pergolas. As an addition to windows and doors, we offer covers. We produce internal and external roller blinds, facade blinds and shutters.

Everything is of the best quality, because we use only high-quality materials from leading European suppliers.

Years of experience allow us to accurately predict demand and respond to customer needs. Striving for a fresh perspective on evolving trends enables us to craft products that precisely meet all market demands. Multi-million investments in machinery, experience and multilingual staff make our export strength grow year by year. We are successfully expanding into European and non-European markets.

The quality of our products and the actions we take have gained the recognition of customers around the world. So far, we have created a powerful sales network, which we are constantly expanding.



FRONT **DOOR**

We have prepared a wide range of designs to choose from. Modern technologies used during production guarantee high resistance to external conditions and easy cleaning. We also offer the possibility of making doors according to your own design, we suggest the best construction solutions.



Door panels

Doors from the Eko, Alu and Wood lines are the most popular, universal solutions, chosen by the largest group of customers. We offer a wide range of designs. We allow customers to create their own projects, which we then implement for them. The materials and production techniques used ensure durability and ease of cleaning. Glazing can be installed in the doors.




EkoLine

AluLine


WoodLine



Design without applications



Design with applications



x, y - dimension of the pattern in mm



Available colour options:

- Aluplast
- Salamander
- Gealan
- RAL



Panel fillings available:

- foam
- plywood + XPS extruded polystyren



Materials from which the door can be made:

- PVC
- Aluminium (ALU)
- Wood

Panel filling

We offer our customers panels with three types of filling - polyurethane foam, plywood or XPS extruded polystyrene. Each of them can be 24, 36 or 48 mm thick. Panels, depending on customer preferences and technical requirements, are made of HPL boards or aluminium sheet. HPL boards are veneered, sheet metal – varnished. On the other hand, in wooden doors, we offer panels with a thickness of 24, 34 and 46 mm.

HPL - EkoLine
Aluminium - AluLine

Foam



24 | 36 | 48 mm

EkoLine
AluLine

HPL - EkoLine
Aluminium - AluLine

Plywood

Foam



24 | 36 | 48 mm

EkoLine
AluLine

Veneered
plywood

XPS extruded polystyrene




24 | 36 | 46 mm

WoodLine

Hydro Exterior
HDF

XPS extruded polystyrene



24 - 48 mm

ekogreen

Door glazing

As a standard, glazing in door panels is made of frosted glass. In panels with a thickness of 24 mm, we use safety glass on the external side. In panels with a thickness of 36 and 48 mm, the glazing is made of safety glass on both sides.

24 mm panel



36 mm panel



48 mm panel



Safe glass

Safety glass is made by covering the glass with special polyvinyl butyral films. In case of glass breakage, the glass fragments remain attached to the film (VSG glass). Tempered safety glass is characterised by greater resistance to breakage and temperature changes (ESG glass). Broken glass of this type breaks into small pieces with blunt edges, which reduces the risk of injury.



Ornamental glazing

We offer a wide range of glass with a motif, made of transparent glass and ornamental glass in the most popular patterns. Ornamental glass will work in homes, offices, shops, hotels and restaurants. It provides privacy and brightens the interior.



Clear



Mirastar



Parsol Bronze



Alideutsch White



Chinchilla White



Parsol Grey



Parsol Green



Stopsol Classic Clear



Crepi White



Delta White matt



Stopsol classic grey



Stopsol Supersilver Clear



Planibel Dark Grey



Satinovo Mate



Delta White



Flutes White matt



Cathedral White



Master-Ligne



Master-Carre



Master-Point



Kura White



Partially sandblasted



Stadip 33.1 PVB Mat




Silvit White



Waterdrop




Monumental M




Panel 01



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 02



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 03



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240


Panel 04



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel 05



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel 06



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 07



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 08



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 09



Without application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 10



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 11



Without application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 12



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 13



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 14



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 15



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 16



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 17



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 18



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 19



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240


Panel 20



Without application



With application




Minimum panel size	Maximum panel size
PVC: 660x1650	PVC: 900x2150
ALU: 660x1650	ALU: 1100x2450
WOOD: 660x1650	WOOD: 840x2240


Panel 21



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 22



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 23



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 24



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel 25



Without application



With application




Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU: 1100x2450
WOOD: 380x1650	WOOD: 840x2240


Panel 26



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 27



Without application



With application



Minimum panel size

PVC: 600x1650

ALU: 600x1650

WOOD: 600x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 28



Without application



With application



Minimum panel size

PVC: 410x1650

ALU: 410x1650

WOOD: 410x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 29



Without application



With application




Minimum panel size	Maximum panel size
PVC: 410x1650	PVC: 900x2150
ALU: 410x1650	ALU: 1100x2450
WOOD: 410x1650	WOOD: 840x2240

Panel 30



Without application




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU: 1100x2450
WOOD: 420x1650	WOOD: 840x2240


Panel 31



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 32



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 33



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 34



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 35



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 36



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 37



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 38



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 39



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 40



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 41



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 42



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 43



Without application



With application




Minimum panel size	Maximum panel size
PVC: 580x1750	PVC: 900x2150
ALU: 580x1750	ALU: 1100x2450
WOOD: 580x1750	WOOD: 840x2240


Panel 44



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 45



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600 x 1650	PVC: 900 x 2150
ALU: 600 x 1650	ALU: 1100 x 2450
WOOD: 600 x 1650	WOOD: 840 x 2240

Panel 46



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 47



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 48



Without application



With application




Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU: 1100x2450
WOOD: 640x1650	WOOD: 840x2240


Panel 49



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel 50



Without application



With application




Minimum panel size	Maximum panel size
PVC: 450x1650	PVC: 900x2150
ALU: 450x1650	ALU: 1100x2450
WOOD: 450x1650	WOOD: 840x2240


Panel 51



Without application



With application



Minimum panel size

PVC: 570x1650

ALU: 570x1650

WOOD: 570x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 52



Without application



With application



Minimum panel size

PVC: 620x1650

ALU: 620x1650

WOOD: 620x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 53



Without application



With application




Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU: 1100x2450
WOOD: 640x1650	WOOD: 840x2240


Panel 54



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel 55



Without application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 56



Without application




With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Panel 57



Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 58




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 59



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 60



With application




Minimum panel size	Maximum panel size
PVC: 400x1650	PVC: 900x2150
ALU: 400x1650	ALU: 1100x2450
WOOD: 400x1650	WOOD: 840x2240

Panel 61



With application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240

Panel 62



Without application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
-	-

Panel 63



With application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU: 1100x2450
WOOD: 500x1650	WOOD: 840x2240

Panel 64



With application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU: 1100x2450
WOOD: 500x1650	WOOD: 840x2240

Panel 65



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Panel 66



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel 67



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 68



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel **69**



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel **70**



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 71



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel 72



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 73



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 74



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 75



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240


Panel 76



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 77



Without application



With application




Minimum panel size	Maximum panel size
PVC: 620x1650	PVC: 900x2150
ALU: 620x1650	ALU: 1100x2450
WOOD: 620x1650	WOOD: 840x2240


Panel 78



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 79



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 80



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 81



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 82



Without application



With application




Minimum panel size	Maximum panel size
PVC: 630x1650	PVC: 900x2150
ALU: 630x1650	ALU: 1100x2450
WOOD: 630x1650	WOOD: 840x2240


Panel 83



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel 84



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 85



Without application



With application




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU: 1100x2450
WOOD: 420x1650	WOOD: 840x2240


Panel 86



Without application



With application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU: 1100x2450
WOOD: 610x1650	WOOD: 840x2240


Panel 87



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 88



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 89



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 90



Without application



With application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU: 1100x2450
WOOD: 610x1650	WOOD: 840x2240


Panel 91



Without application



With application



Minimum panel size

PVC: 610x1650

ALU: 610x1650

WOOD: 610x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 92



Without application



With application



Minimum panel size

PVC: 570x1650

ALU: 570x1650

WOOD: 570x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240

Panel 93



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 94



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 95



Without application



With application




Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU: 1100x2450
WOOD: 380x1650	WOOD: 840x2240

Panel 96



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 97



Without application



With application




Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2450
WOOD: 650x1650	WOOD: 840x2240


Panel 98



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 99



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
-	-


Panel 100



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 101



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 102



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 103



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 104



Without application



With application




Minimum panel size	Maximum panel size
PVC: 390x1650	PVC: 900x2150
ALU: 390x1650	ALU: 1100x2450
WOOD: 390x1650	WOOD: 840x2240


Panel 105



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 106



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 107



Without application



With application



Minimum panel size

PVC: 300x1650

ALU: 300x1650

WOOD: 300x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240


Panel 108



Without application



With application



Minimum panel size

PVC: 300x1650

ALU: 300x1650

WOOD: 300x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2450

WOOD: 840x2240

Panel 109



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 110



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 111



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel 112



Without application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240


Panel 113



Without application



With application




Minimum panel size	Maximum panel size
PVC: 615x1650	PVC: 900x2150
ALU: 615x1650	ALU: 1100x2450
WOOD: 615x1650	WOOD: 840x2240


Panel 114



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 115



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 116



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 117



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 118



Without application



With application




Minimum panel size	Maximum panel size
PVC: 560x1650	PVC: 900x2150
ALU: 560x1650	ALU: 1100x2450
WOOD: 560x1650	WOOD: 840x2240


Panel 119



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel 120



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 121



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1812	PVC: 900x2150
ALU: 370x1812	ALU: 1100x2450
WOOD: 370x1812	WOOD: 840x2240


Panel 122



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 123



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 124



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 125



Without application



With application




Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2450
WOOD: 650x1650	WOOD: 840x2240


Panel 126



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 127



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 128



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 129



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel 130



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 131



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 132



Without application



With application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel 133



Without application



With application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240

Panel 134



Without application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
-	-


Panel 135



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel 136



Without application



With application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel 137



With applicationn




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 138



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 139



Without application



With application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240

Panel 140



Without application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 141



Without application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 142



Without application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 143



Without application




Minimum panel size	Maximum panel size
PVC: 370 x 1650	PVC: 900 x 2150
ALU: 370 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 144



Without application



Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Glass panels

EkoVitre glass door panels are chosen by architects who care about using as much natural light as possible. This elegant door, suitable for any style, can be adapted to individual needs thanks to the large number of finishing options. This is a great solution for individual and institutional investors.



EkoVitre



Available colour options:

- Aluplast
- Salamander
- Gealan
- RAL



Materials from which the door can be made:

- PVC
- Aluminium (ALU)
- Wood



Panel fillings available:


- glazing unit (44.4cz. sandblasted / 18Ar/44.2th)



Panel 01



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950 x 2200
ALU: 600x1700	ALU: 950 x 2200
WOOD: 600 x 1700	WOOD: 950 x 2200

Panel 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 15



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1650	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200



Embossed **panels**

ClassicLine is a combination of traditional aesthetics and modern materials, thanks to which the customer buys solid doors at an attractive price. The number of colour variants is impressive, and the resistance to external factors guarantees high comfort of use for years. Thanks to good performance parameters, they are an interesting proposition for investors who care about low maintenance costs.

Panels with a thickness
of 36 and 48 mm

Panels made of
MDF boards
and XPS foam

Handle or handrail



ClassicLine



Materials from which
the door can be made:

- PVC




Available colour
options:

- Aluplast
- Salamander
- Gealan
- RAL

Panel 01



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 15



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 16



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 17



Technical drawing




Minimum panel size
PVC: 600 x 1750

Maximum panel size
PVC: 1100 x 2220

Panel 18



Technical drawing




Minimum panel size
PVC: 600 x 1750

Maximum panel size
PVC: 1100 x 2220

Panel 19



Technical drawing




Minimum panel size
PVC: 600 x 1750

Maximum panel size
PVC: 1100 x 2220

Panel 20



Technical drawing




Minimum panel size
PVC: 600 x 1750

Maximum panel size
PVC: 1100 x 2220

Panel 21



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300





Embossed panels **EkoGreen**

EkoGreen combines the highest level of thermal insulation with a diverse design inspired by Mediterranean stylistics, allowing for the creation of exterior doors that stand out in every way. The EkoGreen collection allows for the composition of panels with side inserts, bottom panels (Sottotraversi), and shutters (Scuretti).



A complete list of designs is available in the sales department.



- Materials from which the door can be made:
- PVC



Available colour options:

- Aluplast
- Salamander
- Gealan

UNPARALLELED ITALIAN DESIGN

Italian style is one of the bases of all aesthetic trends prevailing in Europe. Starting from ancient Rome, great artists from the Apennine Peninsula delight us with their mastery of form. EkoGreen embossed panels perfectly match this sense of aesthetics, offering us a wealth of classic and exciting solutions.

Natural wood and rich design delight especially in the Mediterranean, where the possibilities of light control provided by glazing, side panels and accessories are also intensively used.

Ecology at the highest level

EkoGreen is not a random name. All products in this series are produced with particular emphasis on ecological issues. Their use allows you to reduce your carbon footprint by using safely sourced wood and improving thermal insulation by as much as 40% compared to typical door panels.



COMBINE ALL SOLUTIONS

EkoGreen panels were created to unleash the creativity of their users. All doors can be freely combined with extensions, equipped with Sottotraversi bottom panels and supplemented with Scuretti internal shutters. This way, you have an absolutely unique interior design at your fingertips, tailored to the character of the building and its users.



classic door panels and side panels



interior shutters

embossed bottom panels

Embossed panels

EkoGreen door panels are a combination of classic elegance and advanced technologies. Great emphasis was placed on ecology, which allowed us to further improve the operational parameters of the doors and their finishing options.

By reducing the weight of the door by 30%, it is possible to achieve better thermal insulation by up to 40%. This makes it easier to achieve thermal comfort in the interior. This is due to the layered structure of Hydro Exterior, made of medium-length chips, glued in such a way that the resulting panel is resistant to water and mechanical factors.

The multi-layer PVC-Acrylic foil makes the doors resistant to temperatures ranging from -50 to +120°C. It can also reflect up to 80% of UV radiation (Solar Shield technology), thus maintaining the colour, and the thickness of the coating is a great medium for creating 3D decorations.

- **panel thickness: 24-48 mm**
- solid or glazed door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M) embossed, milled or 3D relief
- embossed (as standard) or debossed (for an extra charge)
- safety glass 33.1 in glazing
- glazing with a glazing bead (ON type), without glazing bead (type O)
- maximum size 1100 x 2800 mm
- minimum size 200 x 1500 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$ (for 44-48 mm thick panels)



002



002V01




002V02





002V03







glass
 inset
 relief with 3D effect / milled lines






glass
 inset
 relief with 3D effect / milled lines







glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines







glass
 inset
 relief with 3D effect / milled lines



glass
 inset
 relief with 3D effect / milled lines



-  glass
-  inset
-  relief with 3D effect / milled lines



Embossed extensions

EkoGreen embossed extensions can be placed on one or both sides of the door. They can complement or contrast their aesthetic. They are used to create impressive, very elegant entrances to buildings, which are their real showcase.

You can choose from all the aesthetic solutions available for EkoGreen doors, which guarantees the ease of finding the option that will suit you best. Acoustic and thermal insulation parameters are also at an equally high level.

The possibility of using glazing makes the interior brighter, and various glass configurations mean even more creative possibilities.

- **panel thickness: 24-48 mm**
- solid or glazed door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M) embossed or milled,
- safety glass 33.1 in glazing
- glazing with a glazing bead (ON type), without glazing bead (type O)
- maximum size 550 x 2800 mm
- minimum size 200 x 1500 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$ (for 44-48 mm thick panels)



202



202V01




202V02



202V03





Interior shutters

Scoretti, i.e. EkoGreen internal shutters are used wherever style is important and adequate sun control is important. The place where they are most appreciated are the seaside cities in Italy, but the heat pouring from the sky and the beauty of Italian architecture mean that people from other parts of the world also invite them to their homes..

They limit excess light entering the interior, protect it from overheating and provide privacy for household members.

INTERIOR SHUTTERS

Scoretti

- **panel thickness: 18 mm**
- heat protection and light intensity regulation
- Hydro Exterior HDF board
- embossed or milled on both sides
- maximum size 800 x 2400 mm
- minimum size 200 x 200 mm

BOTTOM EMBOSSED PANELS

Sottotraversi

- **panel thickness: 24-48 mm**
- solid door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M)
embossed or milled
- maximum size 1100 x 2800 mm
- minimum size 200 x 200 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$
- (for 44-48 mm thick panels)



Embossed bottom panels

An exceptionally popular addition to EkoGreen doors are Sottotraversi panels, i.e. embossed bottom panels. They are one of the hallmarks of elegant doors in Mediterranean countries, although they also fit perfectly into the style more common further up north.

The thermal insulation of the lower panels is exactly the same as in the case of the basic EkoGreen panels, so their use does not negatively affect the technical parameters of the entire door. The acoustic insulation and durability of the product do not deteriorate either.

All embossed bottom panels are compatible with all EkoGreen embossed panels, allowing you to create any configurations.

Elegant Italian design will satisfy the most demanding customers. We have beautiful, timeless designs of interior shutter panels and embossed bottom panels, including: Stella, Milano, Roma, which will perfectly match your style.



Stella




Milano



Roma



Luna



Clara




Acquamarina



Violet


VARIANTS




rectangle



bow



trapeze



accordion
folding

FITTINGS



old gold



shiny gold



silver

Types of panel finishes and embossed side panels



wood-like frame



glass



cutters in shallow relief




type O - without glazing bead



type OF - without glazing bead



ON type - with glazing bead




insert with 3D effect



multicoloured inserts

Wstawki imitujące



inox frame




charcoal insert



milled lines



wood-like insert



aluminium insert




stone insert



copper insert

The finishes for embossed panels and extensions presented above are only examples of inspiration. Please contact our sales representatives and learn about our full offer.



PVC model doors

We create model doors based on the most popular window and door systems in our offer. In this way, we guarantee perfect aesthetic consistency of the woodwork throughout the house. At the same time, we use solutions with the best performance parameters. The panels can adapt various glazing layouts and use the same colour schemes as windows.





Profiles from which the door can be made (Aluplast colours):

- Ideal 4000
- Ideal 5000
- Ideal 8000
- EkoSun 70




Profiles that can be used to make doors (Salamander colours):

- BluEvolution 92

Model 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 15



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 16



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 17



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 18



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 19



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 20



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 21



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 22



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 23



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 24



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 25



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 26



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 27



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 28



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 29



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 30



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 31



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 32



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 33



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 34



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 35



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 36



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 37



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 38



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 39



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 40



Technical drawing



Minimum panel size

PVC: 600x1650

Maximum panel size

PVC: 900x2150



Overlay panels **PVC**

The attractive aesthetics of the fully covered door leaf frame, rich colors, glazing, and accessories make overlay panels consistently eye-catching. This option is exceptionally durable, with a solid core and GFRP overlay that together offer above-average performance characteristics.





- Materials from which the door can be made:
- PVC



- Available colour options:
- RAL K5 Classic

AIDA ET




Interior side



Exterior side

Technical drawing



Technical drawing



Minimum panel size
PVC: 600 x 1500

Maximum panel size
PVC: 990 x 2270

AMANDA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 850 x 1950

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

AMELIE ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 800 x 1850

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

ANETA ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size

PVC: 600 x 1900

Maximum panel size

PVC: 990 x 2270

ANGELIKA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 760 x 1950

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

BARBARA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1850

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

BRIGITTE ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 850 x 1950

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

DENISA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 600 x 1900


Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

DONATELA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 850 x 1950

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

DORIS ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 750 x 1850

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

ESTER ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 700 x 1900

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

FLAVIA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 850 x 1850

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

FLORA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 500 x 1570

Maximum panel size
PVC: 990 x 2270

* The horizontal application can be removed

GITA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 600 x 1600

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

IDA ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size

PVC: 600 x 1900

Maximum panel size

PVC: 990 x 2270

ISABELA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 800 x 1850

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

KIM ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1850

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

KIRA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1850

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

LAURA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1850

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

LILY ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 700 x 1500

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

MANON ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1700

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

MARION ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 750 x 1850

Maximum panel size
PVC: 990 x 2270

* Option to choose the application contour color in consultation with a sales representative

MEGAN ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 600 x 1500

Maximum panel size

PVC: 990 x 2270

* Possibility to choose the application color in consultation with a sales representative

MILENA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 630 x 1725

Maximum panel size
PVC: 990 x 2270

*Option to choose the pilaster contour color in consultation with a sales representative

MIRANDA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 700 x 1850

Maximum panel size

PVC: 990 x 2270

* Possibility to choose the application color in consultation with a sales representative

MIRIAM ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 850 x 1950

Maximum panel size

PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

MIRKA ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size
PVC: 770 x 1810

Maximum panel size
PVC: 990 x 2270

NELA ET




Interior side




Exterior side

Technical drawing



Minimum panel size
PVC: 638 x 1722

Technical drawing



Maximum panel size
PVC: 990 x 2270

ODETTE ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size
PVC: 870 x 1838

Maximum panel size
PVC: 990 x 2270

PATRICIE ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 600 x 1900

Maximum panel size
PVC: 990 x 2270

* Possibility to choose the application color in consultation with a sales representative

PENELOPE ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size

PVC: 898 x 2032

Maximum panel size

PVC: 990 x 2270

* Option to choose the pilaster contour color in consultation with a sales representative

RADANA ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size

PVC: 750 x 1790

Maximum panel size

PVC: 990 x 2270

RAISA ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 850 x 1950

Maximum panel size
PVC: 990 x 2270

* Ability to choose the contour color in consultation with a sales representative

ROSALIE ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size

PVC: 740 x 1820

Maximum panel size

PVC: 990 x 2270

SARAH ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 500 x 1740

Maximum panel size
PVC: 990 x 2270

* Possibility to choose the application color in consultation with a sales representative

SOFIE ET




Interior side




Exterior side*

Technical drawing



Technical drawing



Minimum panel size
PVC: 850 x 1850

Maximum panel size
PVC: 990 x 2270

* Possibility to choose the application color in consultation with a sales representative

TANIA ET




Interior side




Exterior side

Technical drawing



Technical drawing



Minimum panel size

PVC: 800 x 1800


Maximum panel size

PVC: 990 x 2270



Steel doors

Steel doors are made on the basis of profiles also used in windows systems. They combine original design and above-average durability. The filling in the form of XPS polystyrene foam or OSB board with increased strength is responsible for the insulation. Made of galvanised steel, the panels perfectly fit into the minimalist style of contemporary architecture.



35mm thick panel

Panels made of galvanised sheet metal

Handle or handrail

Unico XS



Unico



Presto



Materials from which
the door can be made:

- Stal (STEEL)



Available colour options:

- RAL



Panel fillings available:

- foam
- OSB board

Alternative fillings for **steel doors**

In addition to standard fillings, alternative options are also available for steel doors, characterised by various technical parameters and aesthetics.



Garage door panels

The panel used in the garage door was integrated into the door. They are durable and easy to maintain and guarantee good thermal insulation. Choosing consistent aesthetics for the garage door and the external door grants elegance to the whole building.

Garage door panels can be used with Presto and Unico profiles.



Aluline panels

The filling in the form of Aluline panels allows you to choose from a rich catalogue of popular solutions, and even create your own project. Durable aluminium is an elegant choice for years that is easy to match with any building style.

Aluline panels can be used with Presto, Unico and Unico XS profiles.



EkoVitre panels

EkoVitre glass panels in steel doors are effective and universal thanks to the wide range of available designs. It is possible to prepare your own proposal. This extremely fashionable, safe option allows you to use natural light wisely and create original arrangements at the same time.

Eko-Vitre panels can be used with Presto, Unico and Unico XS profiles.



Warm threshold

We offer the installation of a warm threshold in two variants. The customer can choose to install it with insulation material or on a PVC system extension. In both cases, the user will gain proper thermal insulation below the floor. This solution prevents the formation of thermal bridges, thanks to which cool air does not get inside the room.



Threshold-free external door

They are distinguished by a double magnetic gasket in a flat threshold and levelling with the floor level up to 30 mm. Thanks to these features, the barrier between the apartment and the terrace is almost non-existent. Children, the elderly and people with disabilities enjoy the comfort of moving around the house without obstacles. The harmony of the living room with nature and the surroundings allows you to enjoy the charms of warm days.



Door **accessories**

Accessories for the offered doors are not only a wide selection of handles and handrails in various shapes and colours. In addition to them, there are also additional technological solutions for hinges or espagnolette, as well as letterboxes or peepholes or devices controlling access to the building. The catalogue presents basic door accessories, the full offer is available in the sales department.



DOOR HINGES



Standard hinges (JOCKER Dr. Hahn, Wala WX and SFS Easy 3D)



Roller hinges (SFS Wala WR)



Concealed hinges (KFV AXXENT)

DOOR LOCKS



Available espagnolettes: 3-point, 5-point, 4 rollers, hook and automatic

MOTOR FOR DOOR LOCKS



G-U Security Automatic engine available

DOOR CLOSERS



Models available: GEZE, G-U lockable or non-lockable, Geze Boxer, Dorma93b, Geze5000

ACCESS CONTROL DEVICES



Idecom
(mounted in the K1 250x150 handle)



Sorex



Microswitch
(mounted in the F130 post)



Idecom
(mounted in the Q10 post 40x40)

VISORS



Visor with a diameter of 14 mm, satin chrome finish. Available for filling from 15 to 85 mm.

MAIL SLOTS



Available models: MILA ProStyle, MILA, GAVA

HANDLE **VICTORY**



HANDLE **NEW YORK**



HANDLE **GREENTEQ**



HANDLE **JOWISZ**



KNOB **FKS 1080**



PULL-HANDLE **PLUTON**



HANDLE **DG59**



HANDLE **35A/1200**



HANDLE **SOBINCO TOUCH**



Handles are available in all colors from our palette and can be lacquered to match the color of the joinery, ensuring a perfect fit for the door

HANDRAILS
SERIE Q

Tubular handles can be equipped with electronics - for individual inquiries and quotes.



HANDRAIL **Q5**



HANDRAIL **M1**



HANDRAIL **M2**



HANDRAIL **P GREENTEQ**



HANDRAIL
P45



HANDRAIL
P45B



HANDRAIL
P10



HANDRAIL
P8



HANDRAIL
P5



HANDRAIL
P1



SERIES
DP30



SERIES
DP40



SERIES
DP50



SERIES
DP60



SERIES
DP70



SERIES
DP80



RECESSED HANDRAIL **KA1**

COLOR MATCH
THE JOINERY



INOX



LED*
WARM WHITE



LED*
NEUTRAL WHITE



LED*
COLD WHITE



LED*
BLUE



* Available only in Despiro and MasterLine 8 Despiro doors



Scan
the code

eko4u.com

eko **4u**

eko4u is a tool for distributors in the joinery industry. eko4u represents a new dimension in managing your business. With it, you can:



- create offers and orders independently
- control deliveries
- browse and download invoices
- submit complaints



benefit Eko-Okna is a free, industry-specific compendium of knowledge about joinery.

It contains everything that is needed in the daily work of a distributor:



- product tutorial
- technical catalogue
- garage doors calculator
- materials from suppliers
- materiały marketingowe



benefit.ekookna.com



The publication does not constitute a commercial offer. It is not the basis for making a complaint.
The images presented are illustrative graphics, not actual photos of the products.

18.07.2025



Eko-Okna S.A.

ul. Spacerowa 4

47-480 Kornice

www.ekookna.com